

1.j. Analysis of Community Satisfaction on The Performance of Green Open Area Facilities

by Aqli Mursadin

Submission date: 22-Sep-2021 12:31AM (UTC-0500)

Submission ID: 1654523287

File name: atisfaction_on_The_Performance_of_Green_Open_Area_Facilities.pdf (304.19K)

Word count: 3844

Character count: 19182

Analysis of Community Satisfaction on The Performance of Green Open Area Facilities (Case Study: Religius Park And River Edge Park In Addition To Cattle Bridges In Kasongan)

Monica Alviriana Dewi
Student, Civil Engineering
Graduate Program,
Lambung Mangkurat University

Aqli Mursadin
Senior Lecturer, Civil Engineering
Graduate Program,
Lambung Mangkurat University

ABSTRACT

This research is a study of the condition of the park in Kasongan, where the discomfort began to be felt due to the condition of the park which was recently inaugurated in 2018 and began to show a decrease in the quality of public facilities. The level of visitors to the park is declining due to the declining quality of park facilities, including the condition of the fountain pond that looks dirty, trash cans are damaged, some garden lights are not lit, and so on.

Data were collected by observation on the condition of the park facilities, through questionnaires distributed to visitors, as well as through interviews with visitors. The approach taken to answer research questions is through perception.

There are several conditions of park facilities that are still far from expectations according to resident's perceptions, namely the condition of the trash can, the condition of the park lights, the condition of the toilets in dirty conditions and even some that cannot be functioned properly. It is expected that from this study obtained strategies in connection with improving/ improving the performance of park facilities for community satisfaction.

Date of Submission: 07-08-2020

Date of acceptance: 21-08-2020

I. INTRODUCTION

The existence of public opinion that was covered by beritasampit.co.id which was released on May 19, 2018 stated that the park was not maintained. The amount of garbage is scattered because some garbage bins are full and some others are in a damaged condition and even disappear from its place. In addition, the fountain also smells bad and dirty due to the flow of water that is no longer functioning, toilets that are made but can not function, view towers that are not maintained and rarely opened, and many other things. The desire to provide a new image, especially in the Religious Park and Park on the River Side Katingan Bridge, it is necessary to conduct a study of the performance of the park by conducting a survey of park visitors and residents who live around the park, of course so that the condition of this park can continue to be maintained and improved in its function as well as security and comfort for the people of Kasongan City.

II. LITERATURE REVIEW

According to Arifin (2005), parks are one of the types of green space that is an environmental fraction that provides added value. Park in a limited sense is a piece of land arranged in such a way that it has beauty, comfort, and security for the owner or user.

The Green Flag Award is the national standard for parks and green space in the UK. It was first held in 1996 to select and award the best green open space in the country. The Green Flag Award has several criteria for assessing park quality and green space. These criteria include:

1. Welcoming Place
2. Healthy, Safe and Secure
3. Clean and Well Maintained
4. Sustainability

5. Conservation and Heritage
6. Community Development
7. Marketing
8. Management

Management is a process implemented by a group/organization in an effort to coordinate to facilitate the process of managing these assets in order to produce value for the group/organization.

Assets are goods and everything both tangible and intangible are included in the wealth of a party that has financial value.

While asset management is the science and art to guide wealth management which includes the process of planning asset needs, procuring assets, inventorying assets, conducting legal audits, valuing assets, operating and maintaining assets, as well as renewing, deleting, destroying or transferring assets.

From the results of the analysis both from the literature study and from several reviews of similar facilities, the following conclusions can be obtained.

Table 1. Research Variables

| No | Variable | Indicator |
|---------------------------------------|-------------------|---|
| 1. | Garden Location | The condition of the road to the park (X_1) |
| 2. | Garden facilities | Park bench (X_2) |
| | | Trash can (X_3) |
| | | Garden Lights (X_4) |
| | | Pedestrian Path (X_5) |
| | | Parking lot (X_6) |
| | | Plaza (X_7) |
| | | Toilet (X_8) |
| | | Gazebo (X_9) |
| | | Information boards (X_{10}) |
| | | Children toys (X_{11}) |
| | | Biopore (X_{12}) |
| | | Water fountain (X_{13}) |
| | | Guardrail (X_{14}) |
| | | 3. |
| Management Services (X_{16}) | | |
| Government Participation (X_{17}) | | |

III. DATA AND ANALYSIS

RESEARCH DATA

The research data used are of two kinds, namely secondary data and primary data. Primary data used are of two kinds, namely questionnaire / questionnaire and in-depth interviews. The questionnaire was submitted to 100 respondents who were park visitors, and for in-depth interviews it was submitted to 5 respondents who were park visitors who were willing to be interviewed.

The following index value categories are used in this study.

Table 2. Visitor Perception Rating

| Assessment of visitor perceptions of indicators | Value/score |
|---|-------------|
| a. Very bad (STB) | 1 |
| b. Not good (TB) | 2 |
| c. Pretty good (CB) | 3 |
| d. Good (B) | 4 |
| e. Very good (SB) | 5 |

Table 3. Visitor Expectation Assessment

| Penilaian harapan pengunjung terhadap indikator | Nilai/skor |
|---|------------|
| a. Very unimportant (STP) | 1 |
| b. Not important (TP) | 2 |
| c. Quite important (CP) | 3 |
| d. Important (P) | 4 |
| e. Very important (SP) | 5 |

DATA ANALYSIS

Validity Test

The validity test criteria used are using the Spearman correlation. Where if the correlation value is greater than the validity value using the Spearman correlation, the questionnaire / question made is categorized as valid/valid.

2
Reliability Test

This reliability test is used with the aim of knowing the nature of the measuring instrument used, in the sense of whether the measuring instrument is accurate, stable and consistent. The instrument used in this study is said to be very reliable if the alpha value of Cronbach is greater than 0.60 (the reliability coefficient category according to Guilford, 1956).

VALIDITY

From the results of the validity test of the question items in the variables above, it was found that all items tested were proven to be valid and could be used for further testing.

Table 4. Validity Test Results

| Variable Points | Perception / Satisfaction | Keperingan/Harapan | Information |
|-----------------|---------------------------|--------------------|-------------|
| 1 | 0,66 | 0,52 | Valid |
| 2 | 0,61 | 0,73 | Valid |
| 3 | 0,68 | 0,57 | Valid |
| 4 | 0,67 | 0,63 | Valid |
| 5 | 0,71 | 0,67 | Valid |
| 6 | 0,65 | 0,75 | Valid |
| 7 | 0,62 | 0,72 | Valid |
| 8 | 0,62 | 0,60 | Valid |
| 9 | 0,57 | 0,78 | Valid |
| 10 | 0,73 | 0,65 | Valid |
| 11 | 0,74 | 0,66 | Valid |
| 12 | 0,79 | 0,75 | Valid |
| 13 | 0,62 | 0,72 | Valid |
| 14 | 0,67 | 0,79 | Valid |
| 15 | 0,45 | 0,63 | Valid |
| 16 | 0,79 | 0,58 | Valid |
| 17 | 0,79 | 0,65 | Valid |

RELIABILITY

Based on the results of the reliability test conducted showed that the alpha value is greater than 0.6 so it can be concluded that the test results that have been carried out can be relied on for further analysis.

Table 5. Reliability Test Results

| | Perception | Hope | Information |
|----------------|------------|-------|-------------|
| Variable | 13,30 | 8,57 | Valid |
| Score Variable | 99,74 | 63,40 | Valid |
| Reliability | 0,92 | 0,92 | Valid |

ANALYSIS OF VISITOR PERCEPTION

For the overall analysis of visitor perceptions can be seen in Table 6.

Table 6. Visitor Perception Analysis

| No | Variable | STB | TB | CB | B | SB | Total | Σx | Mean | Median |
|-----|---------------------------------------|-----|----|----|----|----|-------|-----|------|--------|
| 1. | The condition of the road to the park | 0 | 34 | 35 | 28 | 3 | 100 | 300 | 3,00 | 3,00 |
| 2. | Park bench conditions | 0 | 25 | 45 | 28 | 2 | 100 | 307 | 3,07 | 3,00 |
| 3. | The condition of the trash | 11 | 45 | 22 | 13 | 9 | 100 | 264 | 2,64 | 2,00 |
| 4. | Garden lighting conditions | 6 | 68 | 16 | 8 | 2 | 100 | 232 | 2,32 | 2,00 |
| 5. | Pedestrian track conditions | 0 | 5 | 47 | 35 | 13 | 100 | 356 | 3,56 | 3,00 |
| 6. | Parking conditions | 3 | 19 | 61 | 14 | 3 | 100 | 295 | 2,95 | 3,00 |
| 7. | Park plaza conditions | 0 | 19 | 48 | 30 | 3 | 100 | 317 | 3,17 | 3,00 |
| 8. | Toilet condition | 63 | 24 | 7 | 6 | 0 | 100 | 156 | 1,56 | 1,00 |
| 9. | Gazebo conditions | 3 | 12 | 36 | 39 | 10 | 100 | 341 | 3,41 | 3,00 |
| 10. | Information board condition | 0 | 51 | 23 | 24 | 2 | 100 | 277 | 2,77 | 2,00 |

(next)

Table 6. (continued)

| No | Variable | STB | TB | CB | B | SB | Total | Σx | Mean | Median |
|-----|-----------------------------------|-----|----|----|----|----|-------|-----|------|--------|
| 11. | The condition of children's toys | 0 | 9 | 43 | 41 | 7 | 100 | 346 | 3,46 | 3,00 |
| 12. | Biopori condition | 0 | 27 | 52 | 15 | 6 | 100 | 300 | 3,00 | 3,00 |
| 13. | Fountain conditions | 20 | 38 | 23 | 16 | 3 | 100 | 244 | 2,44 | 2,00 |
| 14. | Condition of guardrail | 7 | 33 | 43 | 17 | 0 | 100 | 270 | 2,70 | 3,00 |
| 15. | Parking charge retribution | 7 | 25 | 42 | 24 | 2 | 100 | 289 | 2,89 | 3,00 |
| 16. | Services from the manager service | 18 | 39 | 28 | 13 | 2 | 100 | 242 | 2,42 | 2,00 |
| 17. | Government participation | 11 | 42 | 28 | 17 | 2 | 100 | 257 | 2,57 | 2,00 |

ANALYSIS OF HOPE OF VISITORS


For the results of an analysis of overall visitor expectations can be seen in Table 7.

Table 7. Analysis of Visitor Expectations

| No. | Variable | STP | TP | CP | P | SP | Total | Σy | Mean | Median |
|-----|---------------------------------------|-----|----|----|----|----|-------|-----|------|--------|
| 1. | The condition of the road to the park | 0 | 0 | 15 | 31 | 54 | 100 | 439 | 4,39 | 5,00 |
| 2. | Park bench conditions | 0 | 2 | 16 | 18 | 64 | 100 | 444 | 4,44 | 5,00 |
| 3. | The condition of the trash | 0 | 0 | 7 | 6 | 87 | 100 | 480 | 4,80 | 5,00 |
| 4. | Garden lighting conditions | 0 | 0 | 2 | 9 | 89 | 100 | 487 | 4,87 | 5,00 |
| 5. | Pedestrian track conditions | 0 | 0 | 11 | 30 | 59 | 100 | 448 | 4,48 | 5,00 |
| 6. | Parking conditions | 0 | 0 | 5 | 18 | 77 | 100 | 472 | 4,72 | 5,00 |
| 7. | Park plaza conditions | 0 | 2 | 12 | 33 | 53 | 100 | 437 | 4,37 | 5,00 |
| 8. | Toilet condition | 0 | 0 | 6 | 6 | 88 | 100 | 482 | 4,82 | 5,00 |
| 9. | Gazebo conditions | 0 | 0 | 12 | 25 | 63 | 100 | 451 | 4,51 | 5,00 |
| 10. | Information board condition | 0 | 2 | 17 | 26 | 55 | 100 | 434 | 4,34 | 5,00 |
| 11. | The condition of children's toys | 0 | 0 | 8 | 17 | 75 | 100 | 467 | 4,67 | 5,00 |
| 12. | Biopori condition | 0 | 0 | 14 | 22 | 64 | 100 | 450 | 4,50 | 5,00 |
| 13. | Fountain conditions | 0 | 2 | 21 | 25 | 52 | 100 | 427 | 4,27 | 5,00 |
| 14. | Condition of guardrail | 0 | 0 | 12 | 30 | 58 | 100 | 446 | 4,46 | 5,00 |
| 15. | Parking charge retribution | 2 | 8 | 18 | 31 | 41 | 100 | 401 | 4,01 | 4,00 |
| 16. | Services from the manager service | 0 | 2 | 4 | 19 | 75 | 100 | 467 | 4,67 | 5,00 |
| 17. | Government participation | 0 | 0 | 8 | 11 | 81 | 100 | 473 | 4,73 | 5,00 |

ANALYSIS OF IMPORTANCE PERFORMANCE ANALYSIS (IPA) USING MEAN VALUE

The distribution of the Natural Science Quadrant by the facilities of the Religious Park and the Side Park of the Katingan Bridge in Kasongan can be seen in Figure 1.



Picture 1. The distribution of the Importance Performance Analysis Quadrant based on the Religious Park and Katingan Bridge Side Parks in Kasongan uses the Mean

Based on the results of the distribution of IPA quadrants by using the average value (mean), it can be concluded which variables are categorized in each category in Table 8.

Table 8. Distribution of Importance Performance Analysis Quadrant uses Mean data

| Quadrant A | | Quadrant B | | Quadrant C | | Quadrant D | |
|-----------------|--------------------------|-----------------|---------------|-----------------|--------------------|-----------------|---------------------------------------|
| X ₃ | Trash can | X ₆ | Parking lot | X ₁₀ | Information boards | X ₁ | The condition of the road to the park |
| X ₄ | Garden lamp | X ₁₁ | Children toys | X ₁₃ | Water fountain | X ₂ | Park bench |
| X ₈ | Toilet | | | X ₁₄ | Guardrail | X ₅ | Pedestrian track |
| X ₁₆ | Management Services | | | | | X ₇ | Plaza |
| X ₁₇ | Government Participation | | | | | X ₉ | Gazebo |
| | | | | | | X ₁₂ | Biopore |
| | | | | | | X ₁₅ | Parking fees |

ANALYSIS OF IMPORTANCE PERFORMANCE ANALYSIS (IPA) USING MEDIAN VALUE

The distribution of the Importance Performance Analysis Quadrant based on the facilities of the Religion Park and the Side Park of the Katingan Bridge in Kasongan by using the median score can be seen in Figure 2.




Figure 2. Distribution of the Importance Performance Analysis Quadrant based on the Religious Park and Katingan Bridge Side Parks in Kasongan using the Median

Based on the results of the distribution of IPA quadrants by using the median value, it can be concluded which variables are categorized in each category in Table 9.

Table 9. Distribution of the Importance Performance Analysis Quadrant using Median data

| Quadrant A | | Quadrant B | | Quadrant C | | Quadrant D | |
|-----------------|--------------------------|-----------------|---------------------------------------|------------|--|-----------------|--------------|
| X ₃ | Trash can | X ₁ | The condition of the road to the park | - | | X ₁₅ | Parking fees |
| X ₄ | Garden lamp | | | | | | |
| X ₈ | Toilet | X ₂ | Park bench | | | | |
| X ₁₀ | nformation boards | X ₅ | Pedestrian track | | | | |
| X ₁₃ | Water fountain | X ₆ | Parking lot | | | | |
| X ₁₆ | Manager service | X ₇ | Plaza | | | | |
| X ₁₇ | Government participation | X ₉ | Gazebo | | | | |
| | | X ₁₁ | Children toys | | | | |
| | | X ₁₂ | Biopore | | | | |
| | | X ₁₄ | Guardrail | | | | |

DETAIL ANALYSIS OF VARIABLES

The factors located in this quadrant are priorities to be improved in order to provide satisfaction for residents and encourage the interest of people outside visitors to be interested in visiting and using the park's facilities in the future.

Table 10. Variables to be Analyzed from the Importance Performance Analysis Results using the Mean and Median

| Quadrant A by Mean | | Quadrant A by Median | |
|--------------------|--------------------------|----------------------|--------------------------|
| X ₃ | Trash can | X ₃ | Trash can |
| X ₄ | Garden lamp | X ₄ | Garden lamp |
| X ₈ | Toilet | X ₈ | Toilet |
| X ₁₆ | Management Services | X ₁₀ | Information boards |
| X ₁₇ | Government Participation | X ₁₃ | Water fountain |
| | | X ₁₆ | Management Services |
| | | X ₁₇ | Government Participation |

MANAGEMENT STRATEGY OF RELIGION PARKS AND SIDE PARKS IN CATTLE BRIDGES

Based on the results of several previous analyzes, the Katingan Bridge Religious Park and Side Park management strategies can be formulated in accordance with the Perceptions and Expectations of visitors as shown in Table 11.

Table 11. Management Strategies of the Katingan Bridge Religious and Side Parks

| Quality of Park Facilities | Visitor Perceptions and Expectations | Indicator of Achievement | Management Handling Strategy |
|----------------------------|--|--|---|
| Street | <ul style="list-style-type: none"> - There are improvements to asphalt roads for access to the park. - The mound that is considered at the front of the park to be immediately repaired so that it returns to its original function as a speed immersion and does not cause harm. | Ease of access roads in the park environment. | Providing convenient, easy and safe access for park visitors. |
| Bench | <ul style="list-style-type: none"> - The need to maintain the cleanliness of the park, especially wild grasses in the park. - Availability of trash in good condition near the bench so that visitors do not throw trash on the park bench and surrounding areas. | The comfort of visitors while sitting on a park bench while enjoying leisure time. | Make sure the park bench conditions are safe and comfortable as well as the cleanliness of the bench and its surroundings. |
| Trash can | <ul style="list-style-type: none"> - The need to replace trash cans that have been damaged so that they can be used properly. - The need to increase the intensity of garbage collection so that the available trash cans are not too full. | Availability of rubbish bins and adequate waste management. | Ensure the availability of a good trash can / immediate repair of a trash can that is damaged. Also regular scheduling of garbage collection in the park. |
| Garden lamp | <ul style="list-style-type: none"> - It is important to pay attention to lighting in the park, especially at night in order to avoid the occurrence of things that are not desirable in the park. - Need to improve the condition of the park lights to add to the aesthetics of the park. | Enough lighting both in the afternoon and at night. | The condition of the lights in good condition (not broken/broken). |
| Pedestrian track | The difference in elevation between the pedestrian path and the side of the pedestrian path should not be too high so as not to endanger it. | Pedestrian pathway is safe for use for all ages. | Pedestrian path conditions are not harmful to certain circles and in good condition. |
| Parking lot | <ul style="list-style-type: none"> - An official parking attendant is needed so that the fees paid can be beneficial for the park. - The need for a parking attendant who can manage the vehicle properly, not just to take the cost of retribution and into his own pocket. | There is an official parking attendant who is responsible for structuring both motorized and 4-wheeled motor vehicles. | The need for parking attendants to be allocated by the relevant Dinas / park manager and supervised directly. |
| Toilet | <ul style="list-style-type: none"> - Functioning of the two toilets as they should be made to be used by park visitors. - Toilet cleanliness must always be maintained so that it can be used by park visitors. | The available toilets function well and can be used comfortably by visitors. | Repairs are done immediately if there is damage to the toilet, and always keep the toilet clean. |

(next)
Table 11. (continued)

| Quality of Park Facilities | Visitor Perceptions and Expectations | Indicator of Achievement | Management Handling Strategy |
|----------------------------|---|--|--|
| Information boards | - The need for information boards that can explain the history of the park and other park-related info as one of the park's attractions. - Also the need for signs as needed in the park as a careful measure. | The availability of information boards that provide complete information related to the park and others that are considered necessary. | Provide information boards and update information boards as deemed necessary. |
| Water fountain | - It is necessary to clean the fountain pool regularly so it does not become dirty and is even used as a place to dispose of garbage. - The reopening of the fountain as an attraction for park visitors. | The fountain is lit and the pool is kept clean. | Scheduled the cleaning of the fountain pool, and the fountain is ensured to stay on. |
| Manager service | - The need to clarify who the park manager is so that the park can better serve park visitors. - The condition of the park would be better if it was managed well by a clear management team and budget. | Well managed parks by the park management team. | The need for clarity about the structure of the park manager appointed by the relevant Office. |
| Government participation | - The need for government attention to park management so that the park can function as it should. - Appointment of park manager responsible for the park facilities and infrastructure. | Taman tertata dan terawat dengan baik. | The need to establish a park management service by the relevant Dinas and budget management that is focused on the park. |

IV. CONCLUSION

The conclusions obtained by researchers in this study are as follows:

1. The visitor's perception is that there are several conditions in park facilities that are still far from expectations, namely trash bins, garden lights, toilets, information boards, and fountains. Also related to the services of the manager in terms of the operation and management of park facilities, and the participation of local governments in the management and maintenance of park facilities.
2. The expectation of visitors is the improvement of park facilities, especially the repair of roads leading to the park, good maintenance of the park benches, trash cans that are no longer full / damaged, toilets, and fountain pools. Also the problem of lighting, the fountain was reactivated, the condition of the parking lot that is safe and comfortable, an information board that presents a variety of interesting information about the park, as well as the availability of management services, especially in the field of cleanliness and safety.
3. The strategy of repairing / improving the performance of facilities in the Religious Park and Bridge Side Park so that it can be in line with visitors' expectations, namely by providing convenient, easy and safe access for park visitors, ensuring the condition and cleanliness of park benches, trash bins, toilets, and water pools fountains, ensuring that park facilities are kept functioning properly such as park lights, toilets, fountains and pedestrian paths, providing information boards to attract visitors, the availability of safe and comfortable parking conditions, and the need for clarity about park management structures so that park management services can run well.

THANK-YOU NOTE

The author thanks the Advisor Lecturer Ir. Aqli Mursadin, S.T., M.T., PhD, IPU who has guided and provided guidance to the author in completing this paper.

REFERENCES

- [1]. Al Azis Muhammad. 2019. Survei Tingkat Kepuasan Pengunjung Taman Pakui Sayang Kota Makassar. Makassar: Universitas Negeri Makassar
- [2]. Ali, M. dan Asrori M. 2011. Psikologi Remaja : Perkembangan Peserta Didik. Jakarta: PT Bumi Aksara
- [3]. Arifin, H.S. dan N.H.S. Arifin. 2005. Pemeliharaan Taman ediri Revisi. Jakarta: Penebar Swaday
- [4]. Azwar. 2007. Sikap Manusia, Teori dan Pengukurannya. Yogyakarta: Pustaka Belajar
- [5]. Binar Rhesyana R. 2014. Persepsi Pengunjung Taman terhadap Tingkat Kenyamanan Taman-Taman di Kota Banjarnegara sebagai Ruang Publik. Semarang: Universitas Negeri Semarang
- [6]. Eckbo, G. 1964. Urban Landscape Design. New York: McGraw-Hill inc
- [7]. Hariyono. 2007. Diklat Manajemen Aset Daerah. Jakarta: Jumal Tesis Aset Daerah
- [8]. Mua, Gracia Paulina dan Tatang Suheri. 2018. Tingkat Kepuasan Masyarakat tentang Alun-Alun Kota Bandung sebagai Ruang Terbuka Publik. Bandung: Universitas Komputer Indonesia
- [9]. Kementerian Dalam Negeri. Republik Indonesia. Peraturan Menteri Dalam Negeri Nomor 1 Tahun 2007 tentang Penataan Ruang Terbuka Hijau Kawasan Perkotaan. Jakarta: Kementerian Dalam Negeri

- [10]. Kementerian Pekerjaan Umum dan Perumahan Rakyat Republik Indonesia. Peraturan Menteri Pekerjaan Umum Nomor 05/PRT/M/2008 tentang Pedoman Penyediaan dan Pemanfaatan Ruang Terbuka Hijau di Kawasan Perkotaan. Jakarta: Kementerian Pekerjaan Umum dan Perumahan Rakyat
- [11]. Kharismawan, Rabbani dan Angger Sukma Mahendra. Kajian Kualitas Taman-Taman Kota Eks-Lahan SPBU di Surabaya dilihat dari Perspektif Pengguna. Surabaya: Seminar Nasional Cities 2012
- [12]. Pemerintah Daerah Kabupaten Katingan. 2016. Peraturan Daerah Kabupaten Katingan Nomor 3 Tahun 2016 tentang Ruang Terbuka Hijau Kota Kasongan. Kasongan: Pemerintah Daerah Kabupaten Katingan
- [13]. Pemerintah Daerah Kabupaten Katingan. 2016. Peraturan Daerah Kabupaten Katingan Nomor 4 Tahun 2016 tentang Konservasi Katingan untuk Borneo. Kasongan: Pemerintah Daerah Kabupaten Katingan
- [14]. Syahputra, M. Danil. 2018. Analisis Tingkat Kepuasan Masyarakat terhadap Pelayanan Ruang Terbuka Hijau di Kota Medan (Studi Kasus : Taman Lapangan Merdeka). Medan: Universitas Sumatera Utara
- [15]. Walgito, Bimo. 2010. Pengantar Psikologi Umum. Yogyakarta: Andi Offset
- [16]. Wibowo, Ari dan Mangasa Ritonga. 2016. Kebutuhan Pengembangan Standar Nasional Indonesia Fasilitas Taman Kota. Jakarta: Jurnal Standardisasi Volume 18 Nomor 3 Pusat Penelitian dan Pengembangan – Badan Standardisasi Nasional

1.j. Analysis of Community Satisfaction on The Performance of Green Open Area Facilities

ORIGINALITY REPORT

5%

SIMILARITY INDEX

%

INTERNET SOURCES

5%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Tapas Chakrabarti, Udit Sharma, Suvrajit Manna, Tyajodeep Chakrabarti, Subir Kumar Sarkar. "Design of intelligent Maximum Power Point Tracking (MPPT) technique based on swarm intelligence based algorithms", 2015 International Conference on Power and Advanced Control Engineering (ICPACE), 2015
Publication 2%

- 2** R Arifuddin, I R Rahim, E Aprianti, A Radiatullah. "Study and overview of the occupational health and safety management in the construction industry", IOP Conference Series: Earth and Environmental Science, 2020
Publication 1%

- 3** International Journal of Contemporary Hospitality Management, Volume 25, Issue 7 (2013-09-21)
Publication 1%

- 4** Andrej Christian Lindholst, Cecil C. Konijnendijk van den Bosch, Christian Philip 1%

Kjøller, Sid Sullivan et al. "Urban green space qualities reframed toward a public value management paradigm: The case of the Nordic Green Space Award", Urban Forestry & Urban Greening, 2016

Publication

5

D. A. Rahmadanti, Y. Azis, R. Komara. "Asset optimization of baranangsiang terminal commercial area using highest and best use analysis: a case study of Bogor city government's asset", International Journal of Business Management and Social Research, 2019

Publication

<1 %

6

R Hermawan, A Triramanda, C Wibowo. "Arrangement of blocks and vegetation of urban forest based on land cover and soil properties to increase the functions of recreation, soil and water conservation in Pondok Labu, South Jakarta", IOP Conference Series: Earth and Environmental Science, 2018

Publication

<1 %

7

A Abubakar, M Fuady, A Achmad. "The evaluation of green open space of disaster prone coastal areas", IOP Conference Series: Materials Science and Engineering, 2021

Publication

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography On

1.j. Analysis of Community Satisfaction on The Performance of Green Open Area Facilities

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8
