Decision support system for the selection of rice varieties using weighted product method

by Gunawan Rudi Cahyono

Submission date: 12-Apr-2023 02:39PM (UTC+0700) Submission ID: 2062363894 File name: ction_of_rice_Nurmahaludin_2020_J_Phys_Conf_Ser_1450_012059.pdf (973.45K) Word count: 1969 Character count: 9907

PAPER · OPEN ACCESS

Decision support system for the selection of rice varieties using weighted product method

To cite this article: Nurmahaludin et al 2020 J. Phys.: Conf. Ser. 1450 012059

View the article online for updates and enhancements.

You may also like

- Development of data on river bank space as an effort to improve resilience to flood and fire disasters in Banjarmasin City B N Muchamadi, N Aufa and J C Heldiansyah
- <u>How to realize a river-based smart city?</u> (lesson learned from Banjarmasin) I Sartika
- <u>The Resilience of Banjarmasin City in</u> disaster management A Fatmawati

242nd ECS Meeting

0ct 9 – 13, 2022 • Atlanta, GA, US

Early hotel & registration pricing ends September 12

Presenting more than 2,400 technical abstracts in 50 symposia







ECS Plenary Lecture featuring M. Stanley Whittingham, Binghamton University Nobel Laureate – 2019 Nobel Prize in Chemistry

 \odot



This content was downloaded from IP address 140.213.191.93 on 24/07/2022 at 08:26

Journal of Physics: Conference Series

IOP Publishing

1450 (2020) 012059 doi:10.1088/1742-6596/1450/1/012059

Decision support system for the selection of rice varieties using weighted product method

Nurmahaludin¹, G R Cahyono², J Riadi¹, I Wardiah¹

¹ Department of Electrical Engineering, Politeknik Negeri Banjarmasin, Jalan Brigjen. H. Hasan Basry, Kayutangi, Banjarmasin, Indonesia

² Department of Mechanical Engineering, Universitas Lambung Mangkurat, Jalan Brigjen. H. Hasan Basry, Kayutangi, Banjarmasin, Indonesia

E-mail: mahaludin@poliban.ac.id

Abstract. The selection of rice varieties is a problem because there are a number of criteria that are considered in decision making. The criteria used in this study for the selection of rice varieties are yield potential, average yield, age of harvest, resistance to brown plant hopper pest and resistance to bacterial leaf blight disease. The concept of decision support system is a model for selecting the type of variety desired based on determined criteria (attributes). In this study using the weight i product method because there are a number of criteria in decision making (Multi Attribute Decision Making). The weighted product method calculates the preference value of each alternative where the alternative chosen is the one that has the greatest relative preference value. Based on the test results using an application program created, the relative preference values of each superior rice variety are obtained. From the calculation of the largest preference value is INPARI 1 with a value of V equal to 0.0404.

1. Introduction

The selection of superior rice varieties is a choice because the local varieties have weaknesses that are long harvest time and low productivity. Each rice varieties has different characteristics such as yields, age of harvest, and resistance to pests and diseases. So that the right modelling is needed to select the type of variety desired based on determined criteria. The concept of decision support system is widely used in problem solving because it contains a collection of data processing procedures to help decision making [1].

Decision support system has been applied in various fields, including for planning and regulating warehousing systems [2] and for managing road traffic [3]. A number of methods used in decision making include artificial mural networks [4], fuzzy WP [5], and AHP and TOPSIS methods [6]. A number of studies use the weighted product method, namely in the decision to recruit new employees [7] and in measuring employee performance [8].

This study designed a decision support system model for the selection of rice varieties using the weighted factor method. Model of problem solving in decision making is then designed in a computer application program.



O Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

Journal of Physics: Conference Series

1450 (2020) 012059 doi:10.1088/1742-6596/1450/1/012059

IOP Publishing

2. Decision support system model

The structure of decision support system model is shown in Figure 1 which the problem of decision making in selecting superior varieties of rice varieties is the goal. The alternative is an object that will be chosen by user namely INPARI 1, INPARI 2, INPARI 3, to INPARI 30 rice varieties [9]. Attributes are criteria that are taken into consideration in decision making, in this case are yield potential, average yield, harvest time, resistance to brown plant hopper pest (BPH), and resistance to bacterial leaf blight disease (BLB).




Figure 1. Selection model of rice varieties.

2.1. Weighted product method

Decision making is generally done by choosing the best alternative from a number of alternatives. If the selection of the best alternative by considering a number of criteria, the process is called multi-attribute decision making (MADM). One method that is widely used is weighted products. Weighted product method is as follows:

- Determine criteria for alternative selection.
- Give criteria weight values (w).
- Normalization of criteria weights (wj) using equations (1)

$$w_j = (w_j) (\sum w_j)^{-1}$$
⁽¹⁾

where j = 1, 2, ..., n and $\sum w_i$ is total weight of each criterion.

• Calculates the preference value (S), as in equation (2) [10].

$$S_i = \prod_{j=1}^n x_{ij}^{w_i} \tag{2}$$

with $\sum w_j=1$ and rank w_j is positive for the profit attribute and negative value for the cost attribute. • Calculating the relative preferences of each alternative obtained through equation (3).

$$V_{i} = \left(\prod_{j=1}^{n} x_{ij}^{w_{i}}\right) \left(\prod_{j=1}^{n} (x_{j}^{*})^{w_{i}}\right)^{-1}$$
(3)

with i = 1,2,...,m

• The best alternative is the alternative that has the greatest preference value.

Journal of Physics: Conference Series

IOP Publishing

1450 (2020) 012059 doi:10.1088/1742-6596/1450/1/012059

2.2. Weighted product for selection of rice varieties

The calculation of preference values using the weighted product method begins by giving weight (w) to each criterion that shown in Table 1.

Table 1. Weight of criteria.				
Value of importance	Weighted (w)			
Very important	1			
Important	0.75			
Quite important	0.5			
Less important	0.25			
Not important	0			

The criteria weights for yield potential, average yield, harvest time, resistance to BPH pests, and resistance to BLB disease are shown in Table 2.

Table 2. Criteria weights for selection of rise varieties.

	Criteria (C)	Value of	Weighted
		importance	(w)
C1	Yield potential	very important	1
C2	Average yield	very important	1
C3	Harvest time	very important	1
C4	Resistance to brown planthopper	important	0.75
C5	Resistance to bacterial leaf blight	important	0.75

Crisp values for BPH pest and BLB disease resistance criteria are given in Table 3.

Table 3	Criteria	weight	of resistance	to	BPH and BLB.
Table 5.	Criteria	weight	of resistance	10	DI II and DLD.

Criteria (C)	Resistant	Quite resistant	Susceptible
Resistance to brown planthopper	0.9	0.5	0.1
Resistance to bacterial leaf blight	0.9	0.5	0.1

The steps to calculate the preference value are as follows:

• Normalize attribute weights. The value of attribute weights is:

```
w = [1; 1; 1; 0.75; 0.75]
```

Using Equation (1), the result is:

w*=[0.2222; 0.222; 0.2222; 0.1667; 0.1667]

• Calculate the preferences of each alternative (S) using Equation (2) The criteria for potential yield, average yield, resistance to BPH and resistance to BLB are profit attributes, while harvest time is a cost attribute. As example calculation preference values of INPARI 1 that has characteristic given in Table 4.

Journal of Physics: Conference Series

IOP Publishing

1450 (2020) 012059 doi:10.1088/1742-6596/1450/1/012059

Table 4. Characteristic of rice variety INPARI 1.

Rice varieties	Yield potential (t/ha)	Average yield (t/ha)	Harvest time (days)	Resistance to BPH	Resistance to BLB
INPARI 1	10	7.3	108	Resistant	Resistant

 $S_1 = (10^{0.2222})(7.3^{0.2222})(108^{-0.2222})(0.9^{0.1667})(0.9^{0.1667})$

=(1.668)(1.5554)(0.3533)(0.9826)(0.9826)

= 0.8850

The calculation of preference values is continued until all rice varieties.

• Calculate the relative preferences of each alternative using Equation (3).

3. Results and discussion

The results of relative preference values (V) of rice varieties are given in Table 5.

Variety	Preference	Relative
5 s	value (S)	preference (V)
INPARI 1	0.8850	0.0404
INPARI 2	0.7019	0.0320
INPARI 3	0.6523	0.0297
INPARI 4	0.7374	0.0336
INPARI 5	0.6973	0.0318
INPARI 6	0.8070	0.0368
INPARI 7	0.6775	0.0309
INPARI 8	0.6800	0.0310
INPARI 9	0.6774	0.0309
INPARI 10	0.5858	0.0267
INPARI 11	0.7649	0.0349
INPARI 12	0.6807	0.0310
INPARI 13	0.7613	0.0347
INPARI 14	0.6739	0.0307
INPARI 15	0.6442	0.0294
INPARI 16	0.7164	0.0327
INPARI 17	0.7299	0.0333
INPARI 18	0.8694	0.0396
INPARI 19	0.8657	0.0395
INPARI 20	0.7638	0.0348
INPARI 21	0.7284	0.0332
INPARI 22	0.7094	0.0323
INPARI 23	0.8494	0.0387
INPARI 24	0.7383	0.0337
INPARI 25	0.7732	0.0353
INPARI 26	0.6989	0.0319
INPARI 27	0.6917	0.0315
INPARI 28	0.7578	0.0346
INPARI 29	0.6981	0.0318
INPARI 30	0.7144	0.0326

4

Table 5. Preference value of each varieties.

IOP Publishing

Journal of Physics: Conference Series

Based on the Table 5, the largest relative preference (V) is INPARI 1 with V = 0.0404. The application program is shown in Figure 2 that user can login using username and password.

Welcome to the Rice Paddy Varieties Expert Website		Userna						
Headlines	Galery	Register					LÓ	gn.
Horticultural Statistical Data Synchronization Meeting		1 Nepto						
To get accurate Hortschurel Agriculture statistical data, the Department of Agriculture and Tood Oraps Hertschure of Sexth Kalmanton (Read Marc)		Galiya		ay is :				
outh Kalimantan Towards a Green Zone	A DEC		Mon					Sal
To weighter the ratification of the National Public Service				1	2	3		
Quality Day on the 18th of July, the South Kalimantan		6	7	8	9	10	11	12
Ombudsman invited the		13	14	15	16	17	18	19
(Read Mare)	1 1 - A 200 - Com	20	21	22	23	24	25	26
Neware of Padi's Main OPT	 A second sec second second sec	1 27	28	20	30	31		

Figure 2. Login page.

To calculate the preference value, user presses Process Ranking button as shown in Figure 3.

No	Name	Harvest time	Yield Potential	Avarage Yield	Resistance to BPH	Resistance to BLB
1	INPARI 1	108	10	7.3	Resistance	Resistance
2	INPARI 2	115	7.3	5.83	Resistance	Quite Resistance
3	INPARI 3	110	7.52	6.05	Quite Resistance	Quite Resistance
4	INPARI 4	115	8.8	6.04	Quite Resistance	Resistance
5	INPARI 5	115	7.2	5.74	Quite Resistance	Resistance
6	INPARI 6	118	12	6.82	Quite Resistance	Resistance
7	INPARI 7	110	8.7	6.2	Quite Resistance	Quite Resistance

Figure 3. Value importance of criteria.

The system will calculate the rank of all existing data on rice varieties based on importance value. The next process is shown in Figure 4 where the calculation results will be displayed for each variety.

No	Variety Name	Final Score	Rangk
1	DIPARL 1	0.0403527	1
2	INPARL 18	0.0396426	2
3	INPARI 19	0.0394719	3
4	INPARI 23	0.0387275	4
5	DIPARL6	0.0367971	5
6	INPARI 25	0.035257	6
7	INPARL 11	0.0348744	7
8	INPARI 20	0.0348285	8
9	INPARI 13	0.0347105	9
10	INPARI 28	0.0345526	10

Figure 4. Final process.

In Figure 4, the varieties will be ordered according to the relative preference value from the largest to the smallest. Based on the calculation results obtained that the INPARI 1 variety has the largest relative preference value, so that the variety is recommended by the system based on predetermined criteria.

iÇ	AS	T-ES	2019	

Journal of Physics: Conference Series

As with other methods in decision support systems that use multi attribute decision making (MADM), the solutions obtained do not always provide unique results because they are determined by the criteria used.

4. Conclusions

The selection of rice varieties in this study uses the criteria of yield potential, average yield, harvest time, resistance to brown plathopper pest and resistance to bacterial leaf blight disease. The varieties selected are those that have the highest relative preference value compared to other varieties. Based on the results of calculations using predetermined criteria weights, obtained the greatest relative preference value is INPARI 1 with V = 0.0404 so that the variety will be selected based on predetermined criteria.

5. References

- Turban E, Aronson J and Liang T 2003 Decision Support Systems and Intelligent Systems (New Delhi: Prentice-Hall)
- [2] Accorsi R, Manzini R and Maranesi F 2014 Computer in Industry 65 175–186
- [3] Dahal K, Almejallia K and Hossain M A 2013 Decision Support System 54 962–975
- [4] Arsene C T C, Gabrys B and Al-Dabass D 2012 Expert System with Application 39 13214–13224
- [5] Nurmahaludin N and Cahyono G R, 2015 Prosiding Seminar International Sains and Teknologi p 1–9
- [6] Iswari V D, Arini F Y and Muslim M A 2019 Lontar Komputer 10 40
- Khairina D M, Asrian M R and Hatta H R 2016 The 6th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE) p 297–301
- [8] Aminudin N et al. 2018 International Journal of Engineering and Technology 7 102
- Mejaya M J, Praptana R H, Subekti N A, Aqil M Musaddad A and Putri F 2014 Deskripsi Varietas Unggul Tanaman Pangan 2010-2016
- [10] Fitriasari N S Fitriani S A and Sukamto R A 2018 3rd International Conference on Science in Information Technology p 453–458

6

Decision support system for the selection of rice varieties using weighted product method

ORIGINAL	LITY REPORT				
SIMILA	4 % RITY INDEX	12% INTERNET SOURCES	15% PUBLICATIONS	7% STUDENT PAPERS	
PRIMARY	SOURCES				
1	Alya Nu Impleme Jersey M Product	dri Fitriyani, Nur r Fajarianti. "We entation In Sele laterials in Gori ion", Internet of nce Journal, 202	eighted Produ ction of Super ch Industry ar Things and A	ct rior nd	%
2	eprints.	unram.ac.id		3	%
3	eudl.eu	ce		2	%
4	Hussein Semicor	ed Grida, Mirna . "Can Public Blo nductors Supply h Square Platfo	ockchains Mit Chain Disrup	igate Z	%
5	diperta.j	jabarprov.go.id		2	%



Fei Wang. "Feasibility study of typhoon disaster economic loss assessment based on random forest", IOP Conference Series: Earth and Environmental Science, 2020 Publication

Exclude quotes Off Exclude bibliography On Exclude matches < 2%

2%