

Flujo de trabajo

Publicación

Envío

Revisión

Editorial


Producción

Archivos de envío

Q Buscar

▶	2112631		Article Page Title.docx	10 junio, 2023	Otro
▶	2112641		A main document file.doc	10 junio, 2023	Texto del artículo
▶	2112651		Latter to Editor.docx	10 junio, 2023	Otro

Descargar todos los archivos



← Volver a Envíos

573141 / Mashud et al. / Análisis del efecto del entrenamiento en la potencia explosiva de la patada de hoz de pencak sila

Biblioteca de envío

Flujo de trabajo

Publicación

Envío

Revisión

Editorial

Producción

Ronda 1

**Estado de ronda 1**

Envío aceptado.

**Notificaciones**

[sportk] Decisión editorial	02-08-2023 12:49 PM
[sportk] Editor Decision	05-08-2023 12:24 PM


## Archivos adjuntos del revisor/a

[Q Buscar](#)

 2143011 , 573141-Article Text-2127991-1-4-20230610.doc 22 julio, 2023

## Revisiones

[Q Buscar](#)[Subir archivo](#)

▶  2149271 Texto del artículo, A-573141-Article Text-2127991-1-4-20230610.doc 4 agosto, 2023 Texto del artículo

## Discusiones de revisión

[Añadir discusión](#)

Nombre	De	Última respuesta	Respuestas	Cerrado
▶ <a href="#">Revision completed</a>	-	-	0	<input type="checkbox"/>
	04-08-2023 05:22 PM			

573141 / Mashud et al. / Análisis del efecto del entrenamiento en la potencia explosiva de la patada de hoz de pencak sila

Biblioteca de envío

Flujo de trabajo

Publicación

Envío

Revisión

Editorial

Producción

Discusiones de corrección

Añadir discusión

Nombre	De	Última respuesta	Respuestas	Cerrado
▶ <a href="#">Proof of payment</a>	ridwan 20-04-2024 04:04 AM	-	0	<input type="checkbox"/>
▶ <a href="#">Final Improvement Result</a>	ridwan 25-04-2024 01:33 PM	-	0	<input type="checkbox"/>



## SPORT TK-Revista EuroAmericana de Ciencias del Deporte

ISSN electrónico: 2340-8812

[Actual](#) [Archivos](#) [Avisos](#) [Acerca de](#) [Buscar](#)[Inicio](#) / [Archivos](#) / [Vol. 13 \(2024\)](#) / [Artículos](#)

## Análisis del efecto del entrenamiento en la potencia explosiva de la patada de hoz de pencak silat: un estudio comparativo de ejercicios pliométricos y convencionales

PDF (English)

**Mashud**

Department of Physical Education, Sport and Health, Universitas Lambung Mangkurat, Banjarmasin, Indonesia.

<https://orcid.org/0000-0001-3107-7134>**Ridwan Sudirman**

Department of Physical Education, Sport and Health, Universitas Setia Budi Rangkasbitung, Banten, Indonesia.

<https://orcid.org/0000-0001-4846-8901>**Y Touvan Juni Samodra**

Department of Sport Coaching Education, Faculty of Teacher Training and Education, Universitas Tanjungpura, Pontianak, Indonesia.

<https://orcid.org/0000-0001-4850-1390>**Widiastuti**

Department of Sport Science, Faculty of Sport Science, Universitas Negeri Jakarta, Jakarta Timur, Indonesia.

<https://orcid.org/0000-0001-8947-1980>**Ira Arini**

Department of Physical Education, Sport and Health, Universitas Lambung Mangkurat, Banjarmasin, Indonesia.

<https://orcid.org/0000-0001-8298-1038>**Taufik Hidayat Suharto**

Department of Physical Education, Sport and Health, Universitas Lambung Mangkurat, Banjarmasin, Indonesia.

**Didi Suryadi**

Postgraduate of Sport Science, Faculty of Sport Science and Health, Universitas Negeri Yogyakarta, Yogyakarta, Indonesia.

<https://orcid.org/0000-0001-0326-9127>**Arina Wulandari**

Department of Physical Education, Faculty of Teacher Education, Universitas PGRI Palembang, Palembang, Indonesia.

Publicado

25-04-2024

Cómo citar

Mashud, Sudirman, R., Samodra, Y. T. J., Widiastuti, Arini, I., Suharto, I. H., ... Rahmat, A. (2024). Análisis del efecto del entrenamiento en la potencia explosiva de la patada de hoz de pencak silat: un estudio comparativo de ejercicios pliométricos y convencionales. *SPORT TK-Revista EuroAmericana de Ciencias del Deporte*, 13, 35. <https://doi.org/10.6018/sportk.573141>

Más formatos de cita

Número

[Vol. 13 \(2024\)](#)

Sección

[Artículos](#)

Las obras que se publican en esta revista están sujetas a los siguientes términos:

1. El Servicio de Publicaciones de la Universidad de Murcia (la editorial) conserva los derechos patrimoniales (copyright) de las obras publicadas, y favorece y permite la

Idioma

English

Español (España)

Información

Para lectores/as

Para autores/as

Para bibliotecarios/as

Indexación



Sport TK

Q3

Complementary and Manual Therapy  
best quartile

SJR 2023

0.18

powered by scimagojr.com

# Analysis of the effect of training on the explosive power of the pencak silat sickle kick: a comparative study of plyometric and conventional exercises

Mashud<sup>1\*</sup>, Ridwan Sudirman<sup>2</sup>, Y Touvan Juni Samodra<sup>3</sup>, Widiastuti<sup>4</sup>, Ira Arini<sup>1</sup>, Taufik Hidayat Suharto<sup>1</sup>, Didi Suryadi<sup>5</sup>, Arina Wulandari<sup>6</sup>, Dedi Aryadi<sup>1</sup>, Ayi Rahmat<sup>1</sup>

<sup>1</sup> Department of Physical Education, Sport and Health, Universitas Lambung Mangkurat, Banjarmasin, Indonesia.

<sup>2</sup> Department of Physical Education, Sport and Health, Universitas Setia Budhi Rangkasbitung, Banten, Indonesia.

<sup>3</sup> Department of Sport Coaching Education, Faculty of Teacher Training and Education, Universitas Tanjungpura, Pontianak, Indonesia.

<sup>4</sup> Department of Sport Science, Faculty of Sport Science, Universitas Negeri Jakarta, Jakarta Timur, Indonesia.

<sup>5</sup> Postgraduate of Sport Science, Faculty of Sport Science and Health, Universitas Negeri Yogyakarta, Yogyakarta, Indonesia.

<sup>6</sup> Department of Primary School Teacher Education, Universitas PGRI Kalimantan, Indonesia.

\* Correspondence: Mashud; [mashud@ulm.ac.id](mailto:mashud@ulm.ac.id)

## ABSTRACT

This study aimed to find out the differences between the effects of plyometric and conventional exercises on the explosive power of the sickle kick. This study used an experimental method where the sample is given treatment. The subjects in this study were 4th semester students of the STKIP Setiabudhi Sports Education study program. The sampling technique used cluster random sampling, so a sample of 40 students was obtained. The study was conducted for 14 meetings with a training frequency of twice a week. The sample was given treatment in the form of plyometric training to increase the explosive power of the sickle kick. The data obtained was analyzed using the SPSS version 26 application. The results of the comparison between plyometric and conventional exercises for low hand-foot coordination were reviewed. The study indicated that the value of  $Q_{count} = 12.96$  exceeded  $Q_{table} = 4.90$ , or  $Q_{count} > Q_{table}$ , suggesting significant differences, with the plyometric exercise method proving superior to conventional exercise. Further, the results of the comparison of plyometric and conventional exercises were reviewed for high hand-foot coordination and the results showed that the value of  $Q_{count} = 6.65$  was greater than  $Q_{table} = 4.90$ , or  $Q_{count} > Q_{table}$ , indicating

significant differences favoring the plyometric exercise method over conventional exercise. The plyometric training method and the conventional training method have an influence on the explosive power of the sickle kick. However, the plyometric training method is more influential, effective, and good for the explosive power of the sickle kick than the conventional training method.

## **KEYWORDS**

Plyometric Exercises; Conventional Exercise; Explosive Power; Pencak Silat

## **1. INTRODUCTION**

Sport is generally defined as a physical activity that is very useful for maintaining a healthy quality of life. Sports can be done by various groups (Suryadi et al., 2022; Suryadi et al., 2023), and become an activity to maintain fitness (Rubiyatno et al., 2023; Suryadi et al., 2023), and gross motor skills (Samodra et al., 2023). In addition, sports are also a place for cultural preservation, which can be one of the branches in sports such as pencak silat (Saputra & Riyoko, 2023). Pencak silat is a martial art sport that grew out of local and well-known cultures (Neil, 2019). This traditional martial art is the result of East Asia's reaction to imperialism and western modernity (Lorge, 2016). The introduction of pencak silat through television, movies, and cinema created a title in martial arts sports history (Barry, 2016). The popularity of this martial art is a clear example of an indigenous cultural product in a local environment. Hence, pencak silat is a valuable martial arts sport (Lorge, 2016).

Pencak silat is performed dynamically and aggressively with a variety of movements, including punches and kicks (Nugraha et al., 2014), slams, blocks, locks, and dodges (Noviatmoko, 2016). One of the movements that is often used in pencak silat is the kick. Given that kicking is one of the movements used in carrying out attacks using the feet (Satria et al., 2021). Kicking requires good speed and muscle strength to give an athlete success (Sudirman, 2015). Lower limb explosive power is an important factor that can affect the performance of track and field athletes (Liu & Zeng, 2023).

Explosive power is the ability to release a great amount of strength in a short period of time (Maffiuletti et al., 2016), which is vital for athletes when competing. When making attacks with kicks in pencak silat contests, explosive power is required. Due to the high value of kicks and the difficulty of anticipating the opponent, explosive leg muscle strength is required; yet, if the lower leg

muscles lack explosive power, the kick will be feeble, making the opponent easily anticipate (Sudirman, 2019). As a result, explosive power is regarded as a crucial aspect of a match (Wang et al., 2023). Exercises that are well-organized and pay attention to duration, repetition, and intensity will improve physical condition (Bompa & Buzzichelli, 2015).

According to the research study conducted by Wang et al. (2023) on plyometric and complicated training, they have been widely employed in training for strength and explosive power. The impact of these training approaches on explosive power varies. Traditional resistance training can be used to build maximal strength as well, although it is less effective at increasing explosive power (Sudirman et al., 2022). Because the joints reach a specific angle in resistance motion, muscular strength is diminished and movement speed is lowered, which is known as the sticky zone (Kompf & Arandjelović, 2016). As a result, the decrease in force and speed is detrimental to the development of explosive power. Another study looked at how pressure training and traditional resistance training affected the development of lower-body explosive power in adolescent athletes (Che, Li, Yang, et al., 2022). In this study, the training evaluation was based on the lower limb explosive power index through 30-meter running, standing long jump, and standing vertical jump activities.

Research studies on plyometric training and complex training conducted by Behm et al. (2017); Morris et al. (2022); Pardos-Mainer et al. (2021) have their respective roles in the effectiveness of increasing explosive power. However, according to the force-velocity curve, force and velocity have an inverse relationship (Taber et al., 2016). This is an obstacle to increasing strength and speed (explosive power). The results of research conducted by Hammami et al. (2019) showed that complex training has a better effect on improving jumping ability, sprinting, and maximum strength than plyometric training. Furthermore, some other studies say that plyometric training methods and complex training have no significant difference in improving jumping performance (da Silva et al., 2015; Lloyd et al., 2016; Sánchez-Sixto et al., 2021). The results of a study conducted by Lloyd et al., (2016) confirmed that there was no significant difference between the two training methods in improving adolescent sprinting ability.

In a previous study in Banten Province, Indonesia, in a match, the leg attack technique (sickle kick) was most dominant and often launched to get points (Sudirman et al., 2022). According to several of these study investigations, different responses to the celurit kick method in pencak silat. As a result, it is critical to boost the explosive power of the celurit kick in pencak silat. This, of course, tries to get good outcomes in a contest. To create a good sickle kick in the sport of pencak silat, the



correct training regimen is required. Whereas earlier research has solely focused on the impact offered (Ihsan et al., 2022). However, few people compare or observe a more appropriate training approach, particularly in the sport of pencak silat. Based on these issues, the purpose of this study is to examine the differences in the effects of plyometric and circuit training methods on kick power sickle.

## **2. METHODS**

### **2.1. Participants**

This research was conducted at Setiabudhi College of Teacher Training and Education, Rangkasbitung, Lebak-Banten, in 2021. The subjects in this study were 4th semester students in the Sports Education study program. The sampling technique used cluster random sampling, so a sample of 40 students was obtained. Furthermore, the division of treatment groups into plyometric exercises and conventional exercises was carried out.


### **2.2. Instruments**

This research used an experimental method with a quasi-experimental design. Based on the university lecture schedule, the research was done across 14 meetings with a training frequency of twice a week. Plyometric and conventional training methods were used for each group's training materials. Furthermore, with the Sabit kick practice. After a sufficient number of treatments had been administered, the final action was to administer tests to all sample members. A sickle-kick explosive power test on a specified target is performed.

The research instrument used in this study is the kick explosive power test (Johansyah & Hendro, 2016). This test was prepared by researchers and tested first to obtain validation and reliability. The test is measured in centimeters (cm), and each sample has more than one opportunity, and then the best value is taken.

When the teste kicks towards the black bag, the explosive power is immediately recorded as the amount of action that lands on the black bag, thanks to the "dynamometric punching-kicking bag with an embedded accelerometer." Force (f) per Newton (N) is the unit of impact explosive power. The tester officer is made up of 1 (one) person who gives the signal and 2 (two) persons who record the participant's best distance for three times the opportunity. Next, using a pretest test to seek

instrument validation, the criteria used to assess validity are considered valid if the correlation coefficient  $r_{count} > f_{table}$  with a significant threshold of  $\alpha = 0.05$ .



**Figure 1.** Hand-Foot-Eye Coordination Test

### 2.3. Statistical analysis

Analysis of variance (ANOVA) is used to test hypotheses. However, before the analysis can begin, certain tests must be completed. The Lilliefors test was used to calculate the data received from the results of the explosive power of the sickle kick during the normality test stage, and the Bartlett test was utilized for the homogeneity test. The analysis in this study was assisted by using the SPSS version 26 application.

### 3. RESULTS

The results of the study, which will be presented sequentially, include a description of the research data, testing of analytical requirements, hypothesis testing, discussion, and research limitations. Based on Table 1, there are 6 students, or 60%, who get a score range of 200-236, then 1 student, or 10%, who gets a score of 237-73; 274-310 and 2 students, or 20%, who get a score of 311-344.

**Table 1.** Frequency Distribution of Plyometric Training Method/Score with High Hand Foot Eye Coordination

No	Interval Class	Absolute Frequency	Relative Frequency (%)
----	----------------	--------------------	------------------------

1	200-236	6	60
2	237-273	1	10
3	274-310	1	10
4	311-344	2	20
		10	100

**Table 2.** Frequency Distribution of Plyometric Training Method/Scores with Low Hand-Foot Eye Coordination

No	Interval Class	Absolute Frequency	Relative Frequency (%)
1	187-217	3	30
2	218-248	5	50
3	249-279	0	0
4	280-310	2	20
		10	100

According to Table 2, three students (30%) scored 187–217, five students (50%) scored 218–248, and two students (20%) scored 280–310.

**Table 3.** Frequency Distribution of Conventional Training Method/Scores with High Hand-Foot Eye Coordination

No	Interval Class	Absolute Frequency	Relative Frequency (%)
1	172-205	4	40
2	206-239	1	10
3	240-273	1	10
4	274-307	4	40
		10	100

Based on Table 3, there were 4 students or 40% who scored 172-205, then 1 student or 10% who scored 206-239, 1 student or 10% who scored 240-273, and 4 people who scored 274-307.

**Table 4.** Frequency Distribution of Conventional Training Method/Scores with Low Hand-Foot Eye Coordination

No	Interval Class	Absolute Frequency	Relative Frequency (%)
1	158-193	1	10
2	194-229	4	40
3	230-265	1	10
4	266-301	4	40
		10	100

Based on Table 4, there are 1 student, or 10%, who scored 158-193, then 4 students, or 40%, who scored 194-229, and 1 student, or 10%, who scored 230-265, then 4 students, or 40%, who scored 266-301. The findings from evaluating the normality of the full group of research data demonstrate that the greatest Lo price of all treatment groups is less than the Lt Price, implying that the sample comes from a population with a normal distribution. Table 5 displays the results.

**Table 5.** Lilliefors Normality Test

Group	N	L <sub>0</sub>	L <sub>t</sub>	Conclusion
Plyometric 1	10	0.206	0.2616	Normal
Plyometric 2	10	0.224	0.2616	Normal
Conventional 1	10	0.185	0.2616	Normal
Conventional 2	10	0.127	0.2616	Normal

The Bartlett test was used to assess for homogeneity in each treatment group at a significance level of  $\alpha = 0.05$ . The study's results in Table 6 indicate a significance value of  $p > 0.05$ , indicating that the data is homogeneous. Furthermore, hypothesis testing will be performed to determine the effect provided.

**Table 6.** Summary of Bartlett Test Calculation Results  $\alpha = 0.05$

Group	dk	1/dk	si <sup>2</sup>	Log Si	(dk) Log Si
Plyometric 1	9	0.111	0.9 0	-0.04576	-0.41182
Plyometric 2	9	0.111	1.7 9	0.25258 3	2.27325
Conventional 1	9	0.111	1.4 3	0.15634 7	1.407125
Conventional 2	9	0.111	0.9 9	-0.00485	-0.04367

According to the research hypothesis, there is a difference between the results of the sickle kick explosiveness training method in the student group that received the plyometric training method treatment and the conventional training method group. The findings of additional tests in terms of hand-eye coordination of strong legs and low legs are summarized in Table 7.

**Table 7.** Tukey test of plyometric training method treatment and conventional training method groups in terms of high hand-foot-eye coordination at the  $\alpha = 0.05$  level

Pairs of groups being	Q count	Q table	Conclusion
-----------------------	---------	---------	------------

compared			
Plyometric and conventional exercises	12.96	4.90	Significant

According to Table 7, the price of  $Q_{count} = 12.96$  is greater than  $Q_{table} = 4.90$  or  $Q_{count} > Q_{table}$  at a significant level of 0.05. So the null hypothesis ( $H_0$ ) is rejected and the alternative hypothesis ( $H_1$ ) is accepted, indicating that there is a difference in the results of the sickle kick explosive training method between the student group who received the plyometric training method treatment and the conventional training method group in terms of hand-eye coordination. Based on these findings, it is possible to conclude that the sickle kick explosiveness training method outcomes of the student group who received the plyometric training method treatment were superior to those of the traditional training method group. The outcomes are observed from a high-leg position.

Based on table 8, the price of  $Q_{count} = 6.65$  is greater than  $Q_{table} = 4.90$  or  $Q_{count} > Q_{table}$  at a significant level  $\alpha 0.05$ , thus the null hypothesis ( $H_0$ ) is rejected and the alternative hypothesis ( $H_1$ ) is accepted. Meaning that overall there is a difference between the results of the method of training the explosive power of the scythe kick of the group of students who received the treatment of the plyometric training method and the circuit training method group in terms of hand-eye coordination and weak legs. Based on these results, it provides evidence that the sickle kick explosiveness training method of the group of students who received the plyometric training method treatment was better than the circuit training method group in terms of low hand-foot-eye coordination.

**Table 8.** Tukey test of plyometric training method treatment and conventional training method groups in terms of low hand-foot-eye coordination at the level of  $\alpha = 0.05$

Pairs of groups being compared	Q count	Q table	Conclusion
Plyometric and conventional exercises	6.65	4.90	Significant

#### 4. DICUSSION

The results of the above examination showed that both plyometric and conventional methods of exercise are equally detrimental to the explosive increase in side-shock power. In-depth, it was stated that exercises using plyometrics resulted in more effective results than practices with

conventional methods. It turns out that this result is consistent with the research conducted by Suchomel et al. (2016), which stated that plyometrics influenced the increased explosive power. As the explanation of this plyometric exercise occurs during the stretching-shortening cycle (SSC), this process converts the potentially elastic energy at the time of contracting into a concentric contraction (Ramirez et al., 2020). Furthermore, more loads of these plyometric exercises will increase the pressure on the ground during the eccentric phase at the time of the SSC and the load on the muscle at the time the muscle performs the concentrated movement of the SSC. At the same time, this will have a better effect on increased explosive power adaptation (Negra et al., 2020). Other speculative evidence is more convincing that inter-plyometric exercise and complex training are excellent for explosive power increases if both are compared to weight training (Behm et al., 2017; Morris et al., 2022; Pardos-Mainer et al., 2021).

Based on the results of the research that has been done, plyometric training is proven to have a better and more effective influence on increasing explosive power. Plyometric training is a type of high-speed strength training that has been extensively studied in young athletes (Zubac et al., 2019). The implications of plyometric training include: 1) positive adaptation of neural drive to agonist muscles; 2) increased muscle activation patterns; 3) changes in muscle size and structure; and 4) optimization in single fiber kinetics (Markovic & Mikulic, 2010). In making an exercise program, the plyometric training method must pay attention to the implementation guidelines so that the training is directed and systematic (Bishop et al., 2012). This is because a coach must know the physical condition of each athlete he is coaching to make a good training program plan, and besides that, the effectiveness and time efficiency of plyometric training must also be taken into account in producing the explosive ability of the sickle kick. According to existing research data, no sports injuries were found in plyometric exercises loaded with 0%–25% extra body weight (Coratella et al., 2018; Negra et al., 2020; Rosas et al., 2016). It is recommended that coaches choose plyometric training loads carefully according to the athlete's special situation.

There are forms of plyometric exercises that can be used, such as jumping up, quick leaps, and box jumps (Arif et al., 2021).. Plyometric training basically focuses on activating the cycle of stretching and shortening quickly to produce maximum power (Subekti et al., 2020). Other research results after plyometric training showed a significant difference in the speed of the sickle kick (Satria et al., 2021; Sudirman, 2015). Research studies conducted by Wang et al. (2023) regarding plyometric training conducted for 10 weeks showed a good impact on increasing the explosive power of the lower limbs. This is different from some previous studies (Hammami et al., 2019; Zghal et al.,

2019). Further research on the application of plyometric training in seniors shows a significant effect on increasing explosive power and muscle contractibility after 8 weeks of training (Zubac et al., 2019). This is because the output produced is greater, namely muscle strength, resulting in a low level of weakness in the elderly (Aagaard et al., 2010).

The results of this study also state that conventional training has an influence on the explosive power of sickle kicks, but not as much as plyometric training. Conventional exercises have an effect on explosive power, this is in line with relevant research conducted by (Che et al., 2022; Zheng & Zhang, 2021), which states that conventional exercises such as half-squatting weight-bearing, half-squatting jumping weight-bearing, and leapfrog provide a stimulus to the lower limb muscles to encourage the development of the strength of the lower limb muscles. In addition, the external pressure exerted on athletes during exercise can also significantly reduce the oxygen content in the athlete's blood, allowing more metabolites to accumulate in the athlete's body during exercise (Liu & Zeng, 2023). The more metabolites accumulated, the stronger the metabolic stimulation transmitted to the athlete's nervous system, and the nervous system will drive more muscle fibers to participate in exercise (Zhou et al., 2021).

The effects of plyometric training and traditional training methods on explosive power vary. More than 10 weeks of training may be good for explosive power development, according to possible data. In general, during a short season, low-load training at high intensity is advised because it does not generate training weariness or influence competition performance (Zhou & Zhang, 2017).

## **5. CONCLUSIONS**

The results of this study illustrate the conclusion that training using the plyometric method is more effective in increasing side kick power in pencak silat compared to conventional methods. Furthermore, it can be concluded that plyometric training significantly develops maximal power capabilities. Based on the results of this study, it is recommended that plyometric training be done either with no load or with a light load with the aim of increasing explosive power in a short training period. Explosive power ability will be effective if you pay attention to the recommended effective duration to increase explosive power for more than 10 weeks. Further research recommendations are recommended to add variables by providing more samples.

## 6. REFERENCES

- Aagaard, P., Suetta, C., Caserotti, P., Magnusson, S. (2010). Role of the nervous system in sarcopenia and muscle atrophy with aging: strength training as a countermeasure. *Scandinavian Journal of Medicine & Science in Sports*, 20, 49–64. <https://doi.org/10.1111/j.1600-0838.2009.01084.x>
- Arif, M., Aimang, H. A., & Nurhikmah, N. (2021). Pengaruh latihan plyometric terhadap kecepatan tendangan t atlet pencak silat tapak suci. *Damhil Education Journal*, 1(1), 98. <https://doi.org/10.37905/dej.v1i1.521>
- Barry, A. (2016). Asian martial arts: The anarchic legacy of the war machine. *International Journal of the History of Sport*, 33(9), 882–829. <https://doi.org/10.1080/09523367.2016.1200030>
- Behm, D. G., Young, J. D., Whitten, J. H., Reid, J. C., Quigley, P. J., & Low, J. (2017). Effectiveness of traditional strength vs. power training on muscle strength, power and speed with youth: A systematic review and meta-analysis. *Frontiers Physiology*, 8, 423. <https://doi.org/10.3389/fphys.2017.00423>
- Bishop, D. C., Smith, R. J., Smith, M. F., McGill, H. E., & Bishop, D. (2012). Original Research Effect of Plyometric Training on Swimming Block Start Performance in Adolescents Running Head. *Journal of Strength and Conditioning Research*, 44(0), 2–19. <https://doi.org/10.1519/JSC.0b013e3181b866d0>
- Bompa, T., & Buzzichelli, C. (2015). *Periodization training for sports: Human Kinetics Campaign*.
- Che, T., Li, Z., Yang, T., Chen, Z., & Wang, S. (2022). Effects of 6-week low-intensity compression combined with high-intensity resistance training on the core area and lower limb muscle strength of young female wrestlers. *Journal of Capital Institute of Physical Education*, 34(02), 333–341.
- Che, T., Li, Z., Zhao, Z., Wei, W., & Sun, K. (2022). Effects of low-intensity bench press pressurization training on muscle activation and subjective fatigue . *Journal of Chengdu Institute of Physical Education*, 48(02), 123–130. <https://doi.org/10.1111/j.1475-097X.2010.00949.x>
- Coratella, G., Beato, M., Milanese, C., Longo, S., Limonta, E., & Rampichini, S. (2018). Specific adaptations in performance and muscle architecture after weighted jump squat vs. body mass squat jump training in recreational soccer players. *The Journal of Strength and Conditioning*



*Research*, 32(4), 921–929. <https://doi.org/10.1519/JSC.0000000000002463>

da Silva Santos, J. F., Valenzuela, T. H., Franchini, E. J. T. J. o. S., & Research, C. (2015). Can different conditioning activities and rest intervals affect the acute performance of taekwondo turning kick? *The Journal of Strength and Conditioning Research*, 29(6), 1640–1647. <https://doi.org/10.1519/JSC.0000000000000808>

Hammami, M., Gaamouri, N., Shephard, R. J., & Chelly, M. S. (2019). Effects of Contrast Strength vs. Plyometric Training on Lower-Limb Explosive Performance, Ability to Change Direction and Neuromuscular Adaptation in Soccer Players. *Journal of Strength and Conditioning Research*, 33(8), 2094–2103. <https://doi.org/10.1519/jsc.0000000000002425>

Ihsan, N., Hanafi, R., Sepriadi, Okilanda, A., Suwirman, & Mario, D. T. (2022). The effect of limb muscle explosive power, flexibility, and achievement motivation on sickle kick performance in pencak silat learning. *Physical Education Theory and Methodology*, 22(3), 393–400. <https://doi.org/10.17309/tmfv.2022.3.14>

Johansyah, L., & Hendro, W. (2016). *Pencak Silat Edisi Ketiga*. PT RajaGrafindo Persada.

Kompf, J., & Arandjelović, O. (2016). Understanding and overcoming the sticking point in resistance exercise. *Sports Med*, 46(6), 751–762. <https://doi.org/10.1007/s40279-015-0460-2>

Liu, Z., & Zeng, W. (2023). A Comparative Study of Compression Training and Conventional Resistance Training in the Development of Lower Limb Explosive Power in Adolescent Track and Field Athletes. In *Global Sport Science* (p. 64). Leading Publishing Pte. Ltd.

Lloyd, R. S., Radnor, J. M., Croix, M. B. D. S., Cronin, J. B., & Oliver, J. L. (2016). Changes in sprint and jump performances after traditional, plyometric, and combined resistance training in male youth pre-and post-peak height velocity. *The Journal of Strength and Conditioning Research*, 30(5), 1239–1247. <https://doi.org/10.1519/JSC.0000000000001216>

Lorge, P. (2016). Practising Martial Arts Versus Studying Martial Arts. *The International Journal of the History of Sport*, 33(9), 904–914. <https://doi.org/10.1080/09523367.2016.1204296>

Maffiuletti, N. A., Aagaard, P., Blazevich, A. J., Folland, J., Tillin, N., & Duchateau, J. (2016). Rate of force development: Physiological and methodological considerations. *European Journal of Applied Physiology*, 46(6), 1091–1116. <https://doi.org/10.1007/s00421-016-3346-6>

Markovic, G., & Mikulic, P. (2010). Neuro-musculoskeletal and performance adaptations to lower-extremity plyometric training. *Sports Meded*, 40, 859–895. <https://doi.org/10.2165/11318370->

000000000-00000

- Morris, S. J., Oliver, J. L., Pedley, J. S., Haff, G. G., & Lloyd, R. S. (2022). Comparison of weightlifting, traditional resistance training and plyometrics on strength, power and speed: A systematic review with meta-analysis. *Sports Medicine*, 52, 1533–1554. <https://doi.org/10.1007/s40279-021-01627-2>
- Negra, Y., Chaabene, H., Fernandez-Fernandez, J., Sammoud, S., Bouguezzi, R., & Prieske, O. (2020). Short-term plyometric jump training improves repeated-sprint ability in prepuberal male soccer players. *The Journal of Strength and Conditioning Research*, 34(11), 3241–3249. <https://doi.org/10.1519/JSC.0000000000002703>
- Neil, E. (2019). Martial arts celebrity dossier: introduction. *Celebrity Studies*, 10(2), 265–267. <https://doi.org/10.1080/19392397.2019.1601420>
- Noviatmoko, F. (2016). Analisis komponen kondisi fisik dominan dalam cabang olahraga tarung derajat. *Jurnal Kesehatan Olahraga*, 6(2), 441–449. <https://ejournal.unesa.ac.id/index.php/jurnal-kesehatan-olahraga/article/view/17502>
- Nugraha, H., Sutardji, & Junaidi, S. (2014). Latihan split jumps dan alternate leg bounds untuk meningkatkan power tendangan jejak pada pencak silat. *Journal of Sport Sciences and Fitness*, 3(2), 1–5. <https://doi.org/10.15294/jssf.v3i2.6213>
- Pardos-Mainer, E., Lozano, D., Torrontegui-Duarte, M., Cartón-Llorente, A., & Roso-Moliner, A. (2021). Effects of strength vs. plyometric training programs on vertical jumping, linear sprint and change of direction speed performance in female soccer players: A systematic review and meta-analysis. *International Journal of Environmental Research and Public Health*, 18(2), 401. <https://doi.org/10.3390/ijerph18020401>
- Ramirez, C. R., Moran, J., Chaabene, H., Granacher, U., Behm, D. G., & García-Hermoso, A. (2020). Methodological characteristics and future directions for plyometric jump training research: A scoping Rev. update. *Scandinavian Journal of Medicine & Science*, 30(6), 983–997. <https://doi.org/10.1111/sms.13633>
- Rosas, F., Ramirez-Campillo, R., Diaz, D., Abad-Colil, F., Martinez-Salazar, C., & Caniuqueo, A. (2016). Jump training in youth soccer players: Effects of haltere type handheld loading. *Journal of Sports Medicine*, 37(13), 1060–1065. <https://doi.org/10.1055/s-0042-111046>
- Rubiyatno, P. R. P., Fallo, I. S., Arifin, Z., Nusri, A., Suryadi, D., Suganda, M. A., & Fauziah, E.

- (2023). Analysis of differences in physical fitness levels of extracurricular futsal students: Survey studies on urban and rural environments. *Pedagogy of Physical Culture and Sports*, 27(3), 208–214. <https://doi.org/10.15561/26649837.2023.0304>
- Samodra, Y. T. J., Suryadi, D., Wati, I. D. P., Supriatna, E., Santika, I. G. P. N. A., Suganda, M. A., & Dewi, P. C. P. (2023). Analysis of gross motoric analysis of elementary school students: A comparative study of students in hill and coastal areas. *Pedagogy of Physical Culture and Sports*, 27(2), 139–145. <https://doi.org/0.15561/26649837.2023.0206>
- Sánchez-Sixto, A., Harrison, A. J., & Floría, P. (2021). Effects of plyometric vs. Combined plyometric training on vertical jump biomechanics in female basketball players. *Journal of Human Kinetics*, 77(1), 25–35. <https://doi.org/10.2478/hukin-2021-0009>
- Saputra, M. N., & Riyoko, E. (2023). Pencak silat Seliwa Betawi: A review in the perspective of historical development in Palembang. *Tanjungpura Journal of Coaching Research*, 1(1), 24–30. <https://doi.org/10.26418/tajor.v1i1.63891>
- Satria, A., Sin, T. H., Aziz, I., & Suwirman, S. (2021). Pengaruh Latihan Plyometrics Terhadap Kecepatan Tendangan Sabit Pada Atlet Pencak Silat. *Jolma*, 1(1), 17. <https://doi.org/10.31851/jolma.v1i1.5332>
- Subekti, N., Sistiasih, V. S., Syauckani, A. A., & Fatoni, M. (2020). Kicking ability in pencak silat, reviewed from eye-foot coordination, speed, and ratio of limb length-body height. *Journal of Human Sport and Exercise*, 15(2), 453–461. <https://doi.org/10.14198/jhse.2020.15.Proc2.36>
- Suchomel, T. J., Nimphius, S., & Stone, M. H. (2016). The importance of muscular strength in athletic performance. *Sports Medicine*, 46(10), 1419–1449. <https://doi.org/10.1007/s40279-016-0486-0>
- Sudirman, R. (2015). Pengaruh Metode Latihan Pliometrik dan Maxex dengan Kekuatan Terhadap Kecepatan Tendangan Sabit Pencak Silat di STKIP Budhi Rangkasbitung. *Jurnal Multilateral*, 14, 54–61. <https://doi.org/10.20527/multilateral.v14i1.2470>
- Sudirman, R., Asmawi, M., Hanif, A. S., Refiater, U. H., Suharto, T. H., Aryadi, D., & Rahmat, A. (2022). The Effect of Training Methods and Explosion of Limb Muscles on Pencak Silat Kicking Skills. *International Journal of Human Movement and Sports Sciences*, 10(2), 193–198. <https://doi.org/10.13189/saj.2022.100209>
- Suryadi, D., Gustian, U., & Fauziah, E. (2022). The Somatotype of Martial Athletes in the Fighter

- Category Against Achievement. *JUARA: Jurnal Olahraga*, 7(1), 116–125. <https://doi.org/10.33222/juara.v7i1.1484>
- Suryadi, D., Okilanda, A., Yanti, N., Suganda, M. A., Mashud, Santika, I. G. P. N. A., Vanagosi, K. D., & Hardinata, R. (2023). Combination of varied agility training with small sided games: How it influences football dribbling skills? *Pedagogy of Physical Culture and Sports*, 27(3), 190–197. <https://doi.org/10.15561/26649837.2023.0302>
- Suryadi, D., Suganda, M. A., Sacko, M., Samodra, Y. T. J., Rubiyatno, R., Supriatna, E., Wati, I. D. P., & Okilanda, A. (2023). Comparative Analysis of Soccer and Futsal Extracurriculars: A Survey Study of Physical Fitness Profiles. *Physical Education and Sports: Studies and Research*, 2(1), 59–71. <https://doi.org/10.56003/pessr.v2i1.182>
- Suwirman, S. (2019). Peningkatan kualitas pelatih pencak silat di kabupaten dharmasraya. *Berkarya Pengabdian Kepada Masyarakat*, 1(1), 1–12. <https://doi.org/10.24036/jba.v1i1.1>
- Taber, C., Bellon, C., Abbott, H., Bingham, G. E. J. S., & Journal, C. (2016). Roles of maximal strength and rate of force development in maximizing muscular power. *Strength and Conditioning Journal*, 38(1), 71–78. <https://doi.org/10.1519/ssc.0000000000000193>
- Wang, X., Lv, C., Qin, X., Ji, S., & Dong, D. (2023). Effectiveness of plyometric training vs. complex training on the explosive power of lower limbs: A Systematic review. *Frontiers in physiology*, 13, 1061110. <https://doi.org/10.3389/fphys.2022.1061110>
- Zghal, F., Colson, S. S., Blain, G., Behm, D. G., Granacher, U., & Chaouachi, A. (2019). Combined resistance and plyometric training is more effective than plyometric training alone for improving physical fitness of pubertal soccer players. *Front. Physiology*, 10, 1026. <https://doi.org/10.3389/fphys.2019.01026>
- Zheng, B., & Zhang, Z. (2021). Effects of different pressurization and resistance training modes on human physiological and biomechanical characteristics after exercise. *Journal of Southwest Normal University (Natural Science Edition)*, 46(2), 126–134.
- Zhou, T., & Zhang, B. (2017). A review of complex training. *China Sports Science*, 37(10), 72–79.
- Zhou, Z., Xiao, H., & Yu, L. (2021). Effects of small field competition combined with lower limb pressurization training on football players' repeated sprint ability. *Journal of Capital Institute of Physical Education*, 33(06), 630–637. <https://doi.org/10.3233/IES-130515>
- Zubac, D., Paravlić, A., Koren, K., Felicita, U., & Šimunič, B. (2019). Plyometric exercise improves

jumping performance and skeletal muscle contractile properties in seniors. *Journal of Musculoskeletal & Neuronal Interactions*, 19(1), 38–49. [https://doi.org/PMID: 30839302](https://doi.org/PMID:30839302)

#### **AUTHOR CONTRIBUTIONS**

All authors listed have made a substantial, direct and intellectual contribution to the work, and approved it for publication.

#### **CONFLICTS OF INTEREST**

The authors declare no conflict of interest.

#### **FUNDING**

This research received no external funding.

#### **COPYRIGHT**

© Copyright 2024: Publication Service of the University of Murcia, Murcia, Spain.